# NANOPHOS S.A. Revision nr. 3 DeSalin AV Printed on 03/04/2020 Page n. 1/12 Replaced revision:2 (Dated: 18/03/2020)

# **Safety Data Sheet**

According to Annex II to REACH - Regulation 2015/830

# SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: NanoPhos\_DAV\_E\_17-03-20Final

Product name DeSalin AV

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Multi-Purpose Gel Cleaner

1.3. Details of the supplier of the safety data sheet

Name NANOPHOS S.A.

Full address Technological & Cultural Park

District and Country 19 500 Lavrio (Greece)

Greece

Tel. +30 22920 69312 Fax +30 22920 69303

e-mail address of the competent person

responsible for the Safety Data Sheet iarabatz@NanoPhos.com

Product distribution by: loannis Arabatzis

1.4. Emergency telephone number

For urgent inquiries refer to +30 22920 69312

### **SECTION 2. Hazards identification**

# 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2015/830.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Hazardous to the aquatic environment, chronic toxicity, H412 Harmful to aquatic life with long lasting effects.

category 3

#### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms: --

Signal words: --

# NANOPHOS S.A.

# DeSalin AV

Revision nr. 3

Dated 03/04/2020

Printed on 03/04/2020

Page n. 2/12

Replaced revision:2 (Dated: 18/03/2020)

Hazard statements:

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P273 Avoid release to the environment.

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

#### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

# **SECTION 3. Composition/information on ingredients**

#### 3.2. Mixtures

Contains:

Identification x = Conc. % Classification 1272/2008 (CLP)

3-Methoxy-3-methylbutan-1-ol

CAS 56539-66-3 5 < x < 10Eye Irrit. 2 H319

EC 260-252-4

INDEX -

Reg. no. 01-2119976333-33-0000

Quaternary ammonium compounds, benzyl-C12-14 (evennumbered)alkyldimethyl, chlorides

CAS 68424-85-1 0,25 < x < 1Acute Tox. 4 H302, Skin Corr. 1B H314, Eye Dam. 1 H318, Aquatic Acute 1

H400 M=1, Aquatic Chronic 1 H410 M=1

EC 270-325-2

INDEX -

The full wording of hazard (H) phrases is given in section 16 of the sheet.

# **SECTION 4. First aid measures**

# 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

NANOPHOS S.A.	Revision nr. 3		
	Dated 03/04/2020		
DeSalin AV	Printed on 03/04/2020		
	Page n. 3/12		
	Replaced revision:2 (Dated: 18/03/2020)		

#### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

# **SECTION 5. Firefighting measures**

### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

# 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

#### 5.3. Advice for firefighters

#### GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

# **SECTION 6. Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

NANOPHOS S.A.	Revision nr. 3		
	Dated 03/04/2020		
DeSalin AV	Printed on 03/04/2020		
	Page n. 4/12		
	Replaced revision:2 (Dated: 18/03/2020)		

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

# SECTION 7. Handling and storage

#### 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

### 7.3. Specific end use(s)

Information not available

# **SECTION 8. Exposure controls/personal protection**

#### 8.1. Control parameters

Quaternary ammonium compounds, benzyl-C12-14 (even-numbered)alkyldimethyl, chlorides				
Predicted no-effect concentration - PNEC				
Normal value in fresh water	0,0009	mg/l		
Normal value in marine water	0,00096	mg/l		
Normal value for fresh water sediment	12,27	mg/kg		
Normal value for marine water sediment	13,09	mg/kg		
Normal value for water, intermittent release	0,00016	mg/l		
Normal value of STP microorganisms	0,4	mg/l		

Health - Derived no-ef	fect level - DNEL / D							
	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				3,4 mg/kg/d				
Inhalation		_		1,64 mg/m3				3,96 mg/m3
Skin				3,4 mg/kg/d				5,7 mg/kg/d

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

# HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

# NANOPHOS S.A. Revision nr. 3 DeSalin AV Printed on 03/04/2020 Page n. 5/12 Replaced revision:2 (Dated: 18/03/2020)

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

#### SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

#### EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

#### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, wear a mask with a type AX filter, whose limit of use will be defined by the manufacturer (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

### **ENVIRONMENTAL EXPOSURE CONTROLS**

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

# **SECTION 9. Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Appearance Viscous liquid Colour Blue, light blue Odour characteristic Odour threshold Not available 8.2±0.5 Melting point / freezing point Not available Initial boiling point Not available Boiling range Not available Flash point > 60 °C Evaporation rate Not available Flammability (solid, gas) Not available Not available Lower inflammability limit Upper inflammability limit Not available Not available Lower explosive limit Upper explosive limit Not available Vapour pressure Not available Vapour density Not available Relative density 1.00±0.05 kg/L Solubility Not available Partition coefficient: n-octanol/water Not available Not available Auto-ignition temperature

# NANOPHOS S.A. Revision nr. 3 Dated 03/04/2020 Printed on 03/04/2020 Page n. 6/12 Replaced revision:2 (Dated: 18/03/2020)

Decomposition temperature Not available Viscosity 75-85 Ku
Explosive properties Not available Oxidising properties Not available

#### 9.2. Other information

Information not available

# **SECTION 10. Stability and reactivity**

### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

#### 1,2-PROPANEDIOL

Hygroscopic.Stable in normal conditions of use and storage.

At high temperatures it tends to oxidate to form propionaldehyde and lactic and acetic acid.

### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

# 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

# 1,2-PROPANEDIOL

May react dangerously with: acid chlorides, acid anhydrides, oxidising agents.

# 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

# 10.5. Incompatible materials

Information not available

# 10.6. Hazardous decomposition products

# 1,2-PROPANEDIOL

May develop: carbon oxides.

# NANOPHOS S.A. Revision nr. 3 Dated 03/04/2020 Printed on 03/04/2020 Page n. 7/12 Replaced revision:2 (Dated: 18/03/2020)

# SECTION 11. Toxicological information

### 11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

# **ACUTE TOXICITY**

LC50 (Inhalation) of the mixture:
Not classified (no significant component)
LD50 (Oral) of the mixture:
Not classified (no significant component)
LD50 (Dermal) of the mixture:
Not classified (no significant component)

1,2-PROPANEDIOL

LD50 (Oral) 20800 mg/kg Rat

LD50 (Dermal) 20800 mg/kg Rat

Quaternary ammonium compounds, benzyl-C12-14 (even-numbered)alkyldimethyl, chlorides

LD50 (Dermal) 397,5 mg/kg rat

### SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

### SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

# NANOPHOS S.A.

# DeSalin AV

Revision nr. 3

Dated 03/04/2020

Printed on 03/04/2020

Page n. 8/12

Replaced revision:2 (Dated: 18/03/2020)

Does not meet the classification criteria for this hazard class

# GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

#### CARCINOGENICITY

Does not meet the classification criteria for this hazard class

### REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

### STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

#### STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

# ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

# **SECTION 12. Ecological information**

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

# 12.1. Toxicity

Quaternary ammonium compounds, benzyl-C12-14 (even-numbered)alkyldimethyl, chlorides

LC50 - for Fish 0,515 mg/l/96h EC50 - for Algae / Aquatic Plants 16 mg/l/72h daphnia

Chronic NOEC for Algae / Aquatic Plants 9 mg/l

# 12.2. Persistence and degradability

1.2-PROPANEDIOL

Solubility in water 1000 - 10000 mg/l

Rapidly degradable

Quaternary ammonium compounds, benzyl-C12-14 (even-numbered)alkyldimethyl, chlorides

Rapidly degradable

# NANOPHOS S.A. | Revision nr. 3 | | Dated 03/04/2020 | | Printed on 03/04/2020 | | Page n. 9/12 | | Replaced revision:2 (Dated: 18/03/2020)

#### 12.3. Bioaccumulative potential

1,2-PROPANEDIOL

Partition coefficient: n-octanol/water -1,07 BCF 0,09

#### 12.4. Mobility in soil

1,2-PROPANEDIOL

Partition coefficient: soil/water 0,46

#### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

### 12.6. Other adverse effects

Information not available

# **SECTION 13. Disposal considerations**

### 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

# **SECTION 14. Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

# 14.1. UN number

Not applicable

# 14.2. UN proper shipping name

Not applicable

# 14.3. Transport hazard class(es)

NANOPHOS S.A.	Revision nr. 3
	Dated 03/04/2020
DeSalin AV	Printed on 03/04/2020
	Page n. 10/12
	Replaced revision:2 (Dated: 18/03/2020)
Not applicable	
14.4. Packing group	
Not applicable	
14.5. Environmental hazards	
Not applicable	
Not applicable	
14.6. Special precautions for user	
Not applicable	
14.7. Transport in bulk according to Annex II of Marpol and the IBC Code	
14.7. Transport in bulk according to Affilex it of Marpor and the IBC Code	
Information not relevant	
SECTION 15. Regulatory information	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
Seveso Category - Directive 2012/18/EC: None	
Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006	
<u>Product</u>	
Point 3 - 40	
Substances in Candidate List (Art. 59 REACH)	
Guistances in Gandidate Eist (Art. 55 NEAGH)	
On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.	
Substances subject to authorisation (Annex XIV REACH)	
None	
Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:	
None	
Substances subject to the Rotterdam Convention:	

# NANOPHOS S.A. Revision nr. 3 Dated 03/04/2020 Printed on 03/04/2020 Page n. 11/12 Replaced revision:2 (Dated: 18/03/2020)

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Information not available

#### 15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

# **SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 4 Acute toxicity, category 4

Skin Corr. 1B Skin corrosion, category 1B

Eye Irrit. 2 Eye irritation, category 2

Aquatic Acute 1 Hazardous to the aquatic environment, acute toxicity, category 1

Aquatic Chronic 1 Hazardous to the aquatic environment, chronic toxicity, category 1

Aquatic Chronic 3 Hazardous to the aquatic environment, chronic toxicity, category 3

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.

#### LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006

# Revision nr. 3 NANOPHOS S.A. Dated 03/04/2020 Printed on 03/04/2020 DeSalin AV Page n. 12/12 Replaced revision:2 (Dated: 18/03/2020) RID: Regulation concerning the international transport of dangerous goods by train TLV: Threshold Limit Value TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure. TWA STEL: Short-term exposure limit TWA: Time-weighted average exposure limit VOC: Volatile organic Compounds

#### GENERAL BIBLIOGRAPHY

WGK: Water hazard classes (German).

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament

vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation

- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2018/1480 (XIII Atp. CLP)
- 16. Regulation (EU) 2019/521 (XII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Product's classification is based on the calculation methods set out in Annex I of the CLP Regulation, unless otherwise indicated in sections 11 and 12. The data for evaluation of chemical-physical properties are reported in section 9.

Changes to previous review:

The following sections were modified:

02 / 03 / 10 / 11 / 12.